

TEMPORARY

NO. 62541

T

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office OCT 29 1996

Returned to applicant for correction _____

Corrected application filed _____

Map filed OCT 29 1996

The applicant MARK HARRIS, hereby make application for permission to change the Temporary use change point of diversion and place of use of water heretofore appropriated under Permit number 27298 c-9176

1. The source of water is Underground
2. The amount of water to be changed 0.22 C.F.S., 80 acre feet
3. The water to be used for Irrigation and domestic
4. The water heretofore permitted for Irrigation and domestic
5. The water is to be diverted at the following point NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 23 T.11N. R.23E., M.D.B.&M., at a point from which the northeast corner of said section 23 bears N. 76°22'20" E., a distance of 5,540.60 feet/
6. The existing permitted point of diversion is located within NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 13, T.11N., R.23E, M.D.B.&M. at a point from which the northeast corner of said section 13, bears N. 27°00'14" E., 3907.21 feet.
7. Proposed place of use 20 acres. Being a portion of NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 23. T.11 N. R.23E. M.D.B.&M.
8. Existing place of use 20 Acres being a portion of NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 13, T.11N. R.23E. MDB&M.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works None (Water will be delivered from the point of diversion to the place of use via approximately 400' existing pipe).
12. Estimated cost of works Unknown
13. Estimated time required to construct works existing irrigation well, certificate No. 6269 (Application No. 18990) issued to Strieby
14. Estimated time required to complete the application of water to beneficial use N/A
15. Remarks: N/A

By s/ Mark Harris
209 Artist View Drive
Wellington, NV 89444

Compared cl/bk cl/bk

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 27298 Certificate 9176 is issued subject to the terms and conditions imposed in said Permit 27298 Certificate 9176 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on March 17, 1998 at which time all rights herein granted shall revert to the right being changed by this temporary permit.

A monthly report shall be submitted to the State Engineer within 10 days from the end of each month which shall include the amount of water pumped from the well and the amount of water used.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.22 cubic feet per second, but not to exceed 80.0 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

Proof of completion of work shall be filed before:

Application of water to beneficial use shall be filed on or before:

Proof of the application of water to beneficial use shall be filed on or before:

Map in support of proof of beneficial use shall be filed on or before:


TEMPORARY

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 18th day of March, A.D. 1997


State Engineer

EXPIRED

DATE MAR 18 1998